
TOP REASONS TO USE BONSILAGE

For all crop types and dry matter ranges

Unique range of high-quality bacteria strains

Science-based and research-developed products

4. Proven by on-farm research and feeding trials









MEASURABLY IMPROVED FEED QUALITY

BONSILAGE products rank as No. 1 silage inoculants in Europe and are now available to livestock producers in the United States. BONSILAGE inoculants are made with high-quality, unique bacteria that have been tested through on-farm research and feeding trials.



PROVITA SUPPLEMENTS Inc. 6103 Blue Circle Dr | Minnetonka | MN 55343 | USA info@bonsilageusa.com | www.bonsilageusa.com | +1 888 580 7797























- » Formation of propylene glycol
- » Ensures a reliable fermentation process
- » Protection against dry matter losses during feed-out















FOR IMPROVED DIGESTIBILITY OF CORN AND SORGHUM SILAGE

- » Ensures a reliable fermentation
- » Provides highest nutrient and DM retention
- » Improves aerobic stability















- » Ensures aerobic stability after just a few days of fermentation
- » High palatability and digestibility
- » Proactive suppression of yeast and mold















FOR ENHANCED SILAGE QUALITY IN STANDARD DRY MATTER RANGES

- » Provides a rapid pH drop
- Ensures a reliable fermentation process
- » High nutrient and dry matter retention









FOR WET AND HARD-TO-ENSILE SILAGE

- » Provides a rapid pH drop
- Active inhibition of clostridia growth
- » Protects valuable proteins







DUAL PROTECTION AGAINST CLOSTRIDIA GROWTH AND REHEATING

- » Active inhibition of clostridia growth
- » Improves aerobic stability
- » Highest nutrient and dry matter retention

ORGANIC FARMING

Our premium inoculants BONSILAGE CORN+ and BONSILAGE FORTE are also available for US organic farming. The OMRI listed product variants contain the same microorganisms at the same level as our current topselling products.





MOISTURE PERCENTAGE						
Corn Silage	55-72%	62-72%	55-72%	-	-	65-75%
Sorghum Silage	55-72%	62-72%	55-72%	-	-	65-75%
Sorghum Sudan Grass Silage	55-72%	62-72%	55-72%	-	-	65-75%
High Moisture Corn	30-42%	-	30-42%	-	-	-
Earlage / Snaplage	35-42%	-	35-42%	-	-	-
Small Grain Silage	-	-	50-65%	65-78%	55-70%	65-75%
Grass Haylage	-	-	-	65-78%	55-70%	65-75%
Clover Grass Haylage	-	-	-	65-75%	55-70%	65-75%
Alfalfa Haylage	-	-	-	65-75%	55-70%	65-75%
PERFORMANCE CHARACT	TERISTIC	S				
Quick pH Drop	++	++	++	++	++	++
Improved Aerobic Stability	++	+	++		+	
Glucogenic Effect	++	+			+	
DM & Nutrient Retention	++	++	++	++	++	++
Fiber Digestibility	+	+	+	+	+	+
Clostridia Inhibition				++	++	
Reduction of Biogenic Amines				++	++	
Shortened Fermentation Time			++	+		+
FORMULATION						
Application CFU/g Forage	500,000	150,000	300,000	300,000	300,000	100,000
Lb. brevis (heteroferm.)		~				
Lb. buchneri (heteroferm.)	~	~	~		~	
Lb. diolivorans (heteroferm.)			~			
Lb. plantarum (homoferm.)	~	~		~	~	~
Lc. lactis (homoferm.)				~	~	
Pc. acidilactici (homoferm.)			~	~		
Pc. pentosaceus (homoferm.)						~